


Certificate of Analysis

Client Information: Canna Cafe LLC 0 duncan.c.cherrington@gmail.com	Sample Information: 2204KST0088.5227 Sample Received: 4/19/2022 Report Created: 5/4/2022 Report Expires: 5/4/2023
--	---

Chocolate-Sample K220418-0003.3630

Cannabinoid	LOQ (%)	Run 1		Run 2		Run 3		Average		Standard Deviation
		Mass (%)	Mass (mg/ml)	Mass (%)	Mass (mg/ml)	Mass (%)	Mass (mg/ml)	Mass (%)	Mass (mg/ml)	
CBDV	0.004	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
CBDa	0.004	0.004	0.041	0.000	0.000	0.003	0.029	0.002	0.023	0.002
CBGa	0.004	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
CBG	0.004	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
CBD	0.004	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
THCV	0.004	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
CBN	0.004	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
d9-THC	0.004	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
d8-THC	0.004	0.574	5.738	0.573	5.730	0.606	6.059	0.584	5.843	0.019
CBL	0.004	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
CBC	0.004	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
THCa	0.004	0.117	1.172	0.115	1.153	0.115	1.146	0.116	1.157	0.001
Cannabinoid	LOQ (%)	Mass (%)	Mass (mg/ml)	Mass (%)	Mass (mg/ml)	Mass (%)	Mass (mg/ml)	Mass (%)	Mass (mg/ml)	Standard Deviation
Total THC	0.004	0.103	1.028	0.101	1.011	0.101	1.005	0.101	1.015	0.001
Total CBD	0.004	0.004	0.036	0.000	0.000	0.003	0.025	0.002	0.020	0.002
Total THC+CBD	0.004	0.106	1.064	0.101	1.011	0.103	1.031	0.104	1.035	0.003
Total Cannabinoids		0.680	6.802	0.674	6.741	0.709	7.090	0.688	6.878	0.019



Cannabinoids analyzed by HPLC. The reported result is based on a sample weight with the applicable moisture content for that sample. Unless otherwise stated all quality control samples performed were within specifications established by the Laboratory.

Total THC= THCa*0.877 +d9-THC. Total CBD=CBDa*0.877+CBD. LOQ=Limit of Quantitation.



4949 Queen Ave, Ste 104
Harrisburg, PA 17109

www.KeystoneStateTesting.com

Dr. Kelly Greenland

Kelly Greenland
Lab Director

This product has been tested by KST using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. KST makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.